Enhanced Scenario-Based Method for Cost Risk Analysis: Theory, Application, and Implementation

2012 SCEA/ISPA Joint Annual Conference and Training Workshop

Peter J. Braxton, Technical Officer and Senior Cost Analyst, Technomics **Brian J. Flynn, PhD**, Senior Cost Analyst, Technomics **Richard C. Lee**, Cost Analyst, Technomics

Paul R. Garvey, PhD, Contributing Author, eSBM Theory Chief Scientist, MITRE, The Center for Acquisition and Systems Analysis







In memory of Dr. Steve Book, nulli secundus, for his kindness and devotion, and for his invaluable comments and insights on our paper.



Contents



- eSBM
 - Background
 - Analytical Work Flow
 - Scenarios
 - Inputs
 - Sensitivity Analysis
- Development of Benchmarks
 - Conjectures
 - Data Collection
 - Cost Growth Calculations
 - MS B and C Results
 - Other Findings
 - Policy Considerations
 - Operational Construct

- Application of eSBM
 - Case Study: NATO AGS
 - Program
 - Cost Element Structure
 - ICE Methodology
 - Point Estimate
 - Elements of Risk
 - Scenarios
 - S-Curve
- Implementation of eSBM
 - S-Curve Tool
- Backup



eSBM: Background




- Scenario-Based Method^{*} (SBM) introduced in 2006
 - Alternative to advanced statistical methods for cost risk analysis
 - Two modes
 - Without statistics
 - With statistics, but without reliance on Monte Carlo Simulation
- Weapon System Acquisition Reform Act (WSARA) of 2009
 - Requirement for statement of confidence in cost estimate
 - Increased emphasis on the statistical mode of SBM
 - Enhanced SBM (eSBM)**
 - Integrating historical cost results in SBM's equations
 - Providing context for applying SBM from a WSARA perspective

^{*} A Scenario-Based Method for Cost Risk Analysis," Garvey; *Journal of Cost Analysis and Parametrics*, Vol. 1, 2008. ^{**} Enhanced Scenario-Based Method (eSBM) for Cost Risk Analysis," Garvey; DODCAS 2011

eSBM



- WSARA: Public Law 111-23, Section 101 states:
 - The Director [CAPE] shall ... issue guidance relating to the proper selection of confidence levels in cost estimates generally, and specifically, for the proper selection of confidence levels in cost estimates for major defense acquisition programs and major automated information system programs
- Probability theory ideal for deriving measures of confidence
 - Program's cost can be treated as an uncertain variable











- Cumulative probability distribution of a program's acquisition cost
 - Cost estimate confidence is read from this distribution
 - For example
 - 25 percent chance the program will cost <= \$100M
 - 50 percent chance the program will cost <= \$151M
 - 80 percent chance the program will cost <= \$214M





eSBM Analytical Work Flow





Notation: In statistics, the coefficient of variation is often abbreviated as COV or CV; this statistic is also known as the coefficient of determination (COD)



eSBM Scenarios



- Definition of scenario
 - "Sequence of events; an account or synopsis of a possible course of action or outcome expected from possible events" (Merriam-Webster)
- eSBM scenarios
 - Unfavorable: \rightarrow costs higher than the level planned or budgeted
 - Set of coherent conditions to guard against
 - Not worst cases
 - Articulates a risk-adjusted cost position
 - Tightly coupled with
 - Cost Analysis Requirements Document
 - Systems engineering plan (SEP)
 - Acquisition strategy document
 - ICD and other requirements' documents
 - Source documents form the basis for the integrity of scenarios developed by the program, its participants, and its stakeholders

eSBM Inputs



• eSBM needs only 3 inputs

The eSBM needs only three inputs. These are the point estimate cost, the probability PE cost will not be exceeded, and the coefficient of variation. The probability PE cost x_{PE} will not be exceeded is the value α_{PE} , such that

$$P(Cost_{Pgm} \le x_{PE}) = \alpha_{PE} \tag{1}$$

2

In Equation 1, $Cost_{Pgm}$ is the true but uncertain total cost of the program and x_{PE} is the program's point estimate cost. The probability α_{PE} is a judged value guided by experience that it typically falls in the interval $0.10 \le \alpha_{PE} \le 0.50$. This interval reflects the understanding that a program's point estimate usually faces higher, not lower, probabilities of being exceeded.

The coefficient of variation (CV) is the ratio of a probability distribution's standard deviation to its mean. This ratio is given by Equation 2. The CV is a way to examine the variability of any distribution at plus or minus one standard deviation around its mean.

$$CV = D = \frac{\sigma}{\mu} \tag{2}$$

With values assessed for α_{PE} and CV, the program's cumulative cost probability distribution can then be derived. This distribution is used to view the confidence level associated with the PS cost, as well as confidence levels associated with any other cost outcome along this distribution.

eSBM Equations



• For normal distribution

If we're given the point estimate cost PE, α_{PE} , and CV, then the mean and standard deviation of $Cost_{Pgm}$ are given by the following:

$$\mu_{Cost_{Pgm}} = x_{PE} - z_{PE} \frac{Dx_{PE}}{1 + Dz_{PE}}$$
(3)

$$\sigma_{Cost_{Pgm}} = \frac{Dx_{PE}}{1 + Dz_{PE}} \tag{4}$$

where *D* is the coefficient of variation (CV), x_{PE} is the program's point estimate cost, and z_{PE} is the value such that $P(Z \le z_{PE}) = \alpha_{PE}$ where *Z* is the standard (or unit) normal random variable. Values for z_{PE} are available in look-up tables for the standard normal, provided in Appendix B [Garvey, 2000].

With the values computed from Equation 3 and Equation 4, the distribution function of $Cost_{Pgm}$ can be fully specified, along with the probability that $Cost_{Pgm}$ may take any particular outcome, such as the protect scenario cost. WSARA confidence levels can be determined.

Note: eSBM also provides the equations needed if a program's cost is best represented by a lognormal distribution



eSBM Equation Example



3 Inputs

 $x_{PE} = 100$ $\alpha_{PE} = 0.25$ D = CV = 0.30

• For normal distribution

Suppose the distribution function of $Cost_{Pgm}$ is normal. Suppose the program's point estimate cost is \$100M and this was assessed to fall at the 25th percentile. Suppose the type and life cycle phase of the program is such that 30 percent variability in cost around the mean has been historically seen. Suppose the program's protect scenario was defined and determined to cost \$145M.

a) Compute the mean and standard deviation of $Cost_{Pgm}$.

b) Plot the distribution function of $Cost_{Pgm}$.

c) Determine the confidence level of the protect scenario cost and its associated cost reserve.

d) Determine the program cost outcome associated with the WSARA confidence level.

Solution

a) From Equation 3 and Equation 4

$$\mu_{Cost_{Pgm}} = x_{PE} - z_{PE} \frac{Dx_{PE}}{1 + Dz_{PE}} = 100 - z_{PE} \frac{(0.30)(100)}{1 + (0.30)z_{PE}}$$

$$\sigma_{Cost_{Pgm}} = \frac{Dx_{PE}}{1 + Dz_{PE}} = \frac{(0.30)(100)}{1 + (0.30)z_{PE}}$$

We need z_{PE} to complete these computations. Since the distribution function of $Cost_{Pgm}$ is normal, it follows that $P(Cost_{Pgm} \le x_{PE}) = \alpha_{PE} = P(Z \le z_{PE})$, where Z is a standard normal random variable. Values for z_{PE} are available in statistical tables. In this case, $P(Z \le z_{PE}) = -0.6745 = 0.25$; therefore, with $z_{PE} = -0.6745$ we have



eSBM Equation Example




• For normal distribution

$$\mu_{Cost_{Pgm}} = x_{PE} - z_{PE} \frac{Dx_{PE}}{1 + Dz_{PE}} = 100 - z_{PE} \frac{(0.30)(100)}{1 + (0.30)z_{PE}} = 125.4 \,(\text{\$M})$$

$$\sigma_{Cost_{Pgm}} = \frac{Dx_{PE}}{1 + Dz_{PE}} = \frac{(0.30)(100)}{1 + (0.30)z_{PE}} = 37.6 \,(\text{\$M})$$

b) A plot of the probability distribution function of $Cost_{Pgm}$ is shown. This is a normal distribution with mean \$125.4M and standard deviation \$37.6M, as determined from a).






eSBM Sensitivity Analysis



- Guidance for selection of CV
 - Point in life-cycle
 - Uniqueness of program or scenario
- Examples for 50th and 80th percentiles





eSBM Summary



- Realization of problem
 - Cumulative probability distributions of cost, or S-curves, too often understate true, underlying risk and uncertainty
- Remedy
 - In 2006, the Scenario-Based Method (SBM) was introduced
 - Alternative to advanced statistical methods for generating measures of cost risk
 - Intent was a return to "the basics" of what decision-makers need from a cost risk analysis and to find a more straightforward approach than experiences to date
 - enhanced SBM (eSBM) an historical data-driven application of SBM
 - Integrates historical cost performance data into SBM's algorithms
 - Provides a context for applying SBM from a WSARA perspective



Conjectures of CV Behavior



Conjectures^{*}

- Estimation Consistency
 - CVs from ICEs jibe with acquisition experience
 - Evaluation of accuracy more problematic
- Decline During Acquisition
 - CVs decrease throughout acquisition lifecycle
 - MS A, B, C, FRP DR
- Platform Homogeneity
 - CVs equivalent for aircraft, ships, and other platform types
 - Cost growth factors and variances

Conjectures

- Adjustment Decline
 - CVs decrease when adjusted for changes in quantity and inflation
- Invariance of Secular Trend
 - CVs steady long-term

^{*}"Development and Application of CV Benchmarks," Flynn; DODCAS 2011



Data Collection



Source

- SAR Summary Sheets
 - Total program acquisition cost
 - R&D, procurement, MILCON
 - Tied to acquisition milestones
 - Planning Estimate (PE) for MS A
 - Development Estimate (DE) for MS B
 - Production Estimate (PdE) for MS C
 - Historically, equivalent to milestones I, II, and III
 - Base-year\$ and then-year\$
 - From 1985 to 2009

Focus

- DON MDAPS only
- 100 observations
- Baseline Estimates date from 1969 to 2003
 - Mostly completed programs but a few on-going such as LPD-17 and LCS
 - Ships, submarines, missiles, and aircraft predominate
 - Excludes notables such as A-12 and Presidential Helicopter



Cost Growth Calculations



Cost Growth Factors (CGFs)

- Unadjusted for quantity changes
 - Current Estimate in base-year\$ divided by Baseline Estimate in base-year\$
 - Adjusted for changes in inflation
 - Current Estimate in then-year\$ divided by Baseline Estimate in then-year\$
 - Completely unadjusted
- Adjusted for quantity changes
 - Also in base-year and then-year\$

Quantity Adjustment

- Three choices
 - Adjust baseline estimate to reflect current quantities
 - CGF = CE/(BE + Q∆)
 - Analogous to Paasche Index
 - Used in SARs
 - Adjust current estimate to reflect baseline quantities
 - CGF = (CE QΔ)/BE
 - Analogous to Laspeyres Index
 - "Fisher" index = square root of the product of the first two
- CV deltas insignificant (.02 and .04 spreads in BY\$ & TY\$ for ships & submarines)



Cost Growth Calculations



Example: CG-47 Class



- Baseline Estimate (BE) of 1978
 - 16 ships at \$9.01B (BY\$) and \$14.08B (TY\$)
- Current Estimate (CE) of 1992
 - 27 ships at \$14.11B (BY\$) and \$23.28B (TY\$)
 - Deltas in BY\$
 - \$5.10B total & \$5.49B quantity
 - Deltas in TY\$
 - \$9.20B total & \$11.74B quantity
 - Estimating change negative

Cost Growth Factors

- Unadjusted for quantity Δ
 - Then-year dollars
 - ▶ \$23.28B/\$14.08B = 1.65
 - Base-year dollars
 \$14.11B/\$9.01B = 1.57
- Adjusted for quantity Δ, using OSD methodology
 - Then-year dollars
 - > \$23.28B/(\$14.08B + \$11.74B)
 = 0.90
 - Base-year dollars

\$14,11B /(\$9.01B + <u>\$5.49B</u>) =
 0.97





Analysis of Deltas

Progra		Program	Office's			Ratio of	Ratio of	Ratio of	Ratio of
		Acqui		ICE (CAIG for ID;			POACE to		ICE to
SAF	RBF	Cost Es		NCCA		SAR BE	SAR BE	SAR BE	SAR BE
in BY\$	in TY\$	in BY\$	in TY\$	in BY\$	in TY\$	in BY\$	in TY\$	in BY\$	in TY\$
\$2,877	\$3,093	\$2,817	\$3,032	\$3,130		0.98	0.98	1.09	
\$4,123	\$4,310	1.1	+-,	\$4,104		1.00		1.00	
\$45,633	\$71,081	\$45,500		\$47,400		1.00		1.04	
	\$8,636		\$8,400		\$8,580		0.97		0.99
\$26,494	\$31,429	\$24 <i>,</i> 490		\$26,810		0.92		1.01	
\$31,548	\$36,296	\$32,800		\$39,100		1.04		1.24	
\$10,627	\$11,425	\$10,727				1.01			
\$43,490	\$46,826	\$43,000				0.99			
\$4,263	\$4,890	\$4,245		\$4,349		1.00		1.02	
\$2,977	\$3,290	\$3,019	\$3,284		\$3,505	1.01	1.00		1.07
					Means =	0.99	0.98	1.07	1.03

Comparisons based on available data for cost estimates of recent vintage (1990 and later)

- 6 ACAT ID programs (OSD CAIG ICE)
- 4 ACAT IC programs (NCCA ICE)

1.03 without outlier



Sample Data at MS B



n = 50

- Base year, baseline type, platform type
- Baseline Estimate
 - Base Year\$
 - Then Year\$
 - Quantity
- Changes to Date
 - Base Year\$
 - Then Year\$
 - Quantity
- Current Estimate
 - Base Year\$
 - Then Year\$
 - Quantity
- Quantity Changes
 - Base Year\$
 - Then Year \$
- Date of last SAR

/A-18 E/F		
SOW		
xpeditionary Fighting \	/ehicle (formerly AAAV)	
1IDS - Low Volumne Te	rminal (LVT)	
ooperative Engagemer	F-14D	
-1 UPGRADES	F/A-18 C/D	
1H-60S	Fixed Distributed System	(FDS)
ACTICAL TOMAHAWK	HARM	
1H-60R	HARPOON	DDG-51 Destroyers (Arleigh Burke Class)
-2D Advanced Hawkey	LAMPS MK III	DDG-1000 Destroyers (Zumwalt Class)
A-18G (Electronic Attac	MK-48 ADCAP	CVN-78 Aircraft Carriers (Gerald R. Ford Class)
OBRA JUDY REPLACEMI	MIK-50 TORPEDO	LPD-17 Amphibious Transport Dock (San Antonio Class)
	PHOENIX AIIVI-54C	LHA-6 Amphibious Assault Ships (America Class)
	SEA LANCE (ASW-SOW)	SSN-774 Attack Submarines (Virginia Class)
1obile User Objective S		LHD-1
	SPARROW (AIM-7M)	CG-47
GM-88E AARGM	STANDARD MISSILE-2 (Blo	SSN-688 Submarines
	TOMAHAWK Baseline Im	Strategic Sealift
		FFG-7
	AN/BSY-2	AN/BSY-1 (Submarine Advanced Combat System; SUBACS)
		Airborne Self Protection Jammer (ASPJ)
		AV-8B
		C/MH-53E
		E-6A
		F-14A




MS B: All Programs



All DON MDAPs at MS B

- Distribution skewed to right
- Adjustments for changes in quantity and inflation decrease values of CGFs and CVs
- CVs sensitive to outliers
 - E.g., removing
 Harpoon decreases
 quantity-adjusted TY\$
 CV to 0.45
 - 2nd oldest datum (1970 baseline)

Cost Growth Factors & CVs for All DON MDAPs at MS B for 1969 & Later; n = 50							
		(Without Qty Adjustment)		(Quantity Adjusted)			
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$		
Mean		1.48	1.84	1.23	1.36		
Standard Dev	viation	0.94	1.60	0.44	0.69		
CV		0.63	0.87	0.36	0.51		






MS B: Ships & Submarines



Comparison with "All DON"

- Median CGF = (1.18, 1.12)
- Mean CGF = (1.36, 1.30)
- CV = (**51%**, 45%)

Cost Growth Factors & CVs for Ship & Sub MDAPs at MS B; n = 11							
		(Without Qty	v Adjustment)	(Quantity Adjusted)			
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$		
Mean		1.78	2.17	1.21	1.30		
Standard Dev	viation	0.95	1.38	0.30	0.58		
cv		0.54	0.64	0.25	0.45		






MS B: Aircraft



Comparison with All DON, Ships

- Median CGF = (1.18, 1.12, 1.19)
- Mean CGF = (1.36, 1.30, 1.43)
- CV = (51%, 45%, 44%)

Cost Growth Factors & CVs for Aircraft MDAPs at MS B; n = 16							
		(Without Qty Adjustment)		(Quantity Adjusted)			
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$		
Mean		1.55	2.03	1.29	1.43		
Standard Dev	viation	0.89	1.87	0.43	0.63		
CV		0.57	0.92	0.34	0.44		






MS B: Missiles



Comparison with All DON, Ships, Aircraft

- Median CGF = (1.18, 1.12, 1.19, 1.19)
- Mean CGF = (1.36, 1.30, 1.43, 1.37)
- CV = (51%, 45%, 44%, 70%)

Cost Growth Factors & CVs for Missile MDAPs at MS B; n = 12							
		(Without Qty Adjustment)		(Quantity Adjusted)			
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$		
Mean		1.44	1.94	1.19	1.37		
Standard Dev	Standard Deviation		1.93	0.49	0.96		
CV		0.82	0.99	0.41	0.70		






MS B: Electronics & Other



Comparison with All DON, Ships, Aircraft, Missiles

- Median CGF = (1.18, 1.12, 1.19, 1.19, 1.19)
- Mean CGF = (1.36, 1.30, 1.43, 1.37, 1.29)
- CV = (51%, 45%, 44%, 70%, 47%)

Cost Grov	Cost Growth Factors & CVs for Electronics & Other MDAPs at MS B; n = 11						
		(Without Qty Adjustment)		(Quantity Adjusted)			
Stati	Statistics		Then-Year\$	Base-Year\$	Then-Year\$		
Mean		1.14	1.14	1.22	1.29		
Standard Dev	Standard Deviation		0.69	0.55	0.60		
CV		0.59	0.61	0.45	0.47		






Hypothesis Testing for MS B

Hypothesis

- Homogeneity of CGF means
 - $H_0: \mu_1 = \mu_2 = \dots = \mu_k$, where μ_i is a platform population mean CGF
 - $H_a: \mu_i \neq \mu_j$, for at least one (i,j) pair
 - F_(3,45) = 0.12 (from ANOVA)
 - Implies that variation in platform-level sample means is not, at the 5% level of significance, statistically distinguishable from noise





Hypothesis Testing for MS B

Hypothesis

- Homogeneity of CGF variances
 - $H_0: \sigma_1^2 = \sigma_2^2 = \dots = \sigma_k^2$, where σ_i^2 is a platform population variance CGF
 - $H_a: \sigma_i^2 \neq \sigma_j^2$, for at least one (i,j) pair
 - Statistical tests:
 - Pairwise comparisons
 - Levene test for k samples

Sample Pairwise F Statistics							
Ships & Elex							
Platforms	Subs	Aircraft	Missiles	Other			
Ships and Subs		2.840	2.940	2.970			
Aircraft			2.510	2.720			
Missiles				2.940			
Elex and Other							

Test Results

- Pairwise comparisons
 - In all cases, H_o is not rejected at 5% level of significance
- Levene's test
 - For skewed distributions
 - F_(3,47) = 0.46 versus critical value of 4.23; H_o not rejected
- In both cases, platform-level sample variances not statistically distinguishable from noise


Homogeneous means and variances strongly support the conjecture of homogeneous CVs



Other Findings for MS B



- CVs decline monotonically with adjustments
 - 15 percentage points for inflation, after quantity adjustment
 - Perhaps due to volatility of average annual rates during the Nixon/Ford (6.5%), Carter (10.7%), Reagan (4.0%), G.H.W. Bush (3.9%), and Clinton (2.7%) administrations






Other Findings for MS B

Secular decline in CVs

- Especially in TY\$
 - Less drop in BY\$
- Inflation stability
 - After the turmoil of the late 1970s
 - Less variance and greater accuracy in OMB rates
 - Less CV (TY\$ to BY\$)
 - Unclear if trend will continue in long run
- Caution:
 - Confidence lessens as sample size decreases





Sample Data at MS C

All DON MDAPs at MS C

- PdE represents estimated total program acquisition cost
 - Includes sunk R&D and MILCON costs
- Roughly 20% had a DE, too

n = 43

leigh Burke Class)						
VN-68 Aircraft Carriers (Nimitz Class)						
T-AKE Dry Cargo/Ammunition Ships (Lewis and Clark Class)						
EA-6B						
F-14D						
MK-48 ADCAP						
P-3C						
PHALANX CIWS						
T-45TS						
TRIDENT II MISSILE						
V-22						
UHF FOLLOW-ON						
ROTHR (Relocatable Over the Horizon Radar)						
F/A-18 E/F						
JSOW Baseline/Unitary-108						
MIDS - Low Volumne Terminal (LVT)						
Navy FHE Satellite Communications Program (NESP)						
AV-8B REMANUFACTURE						
Cooperative Engagement Capability (CEC)						
E-2C REPRODUCTION						
MH-60S						
TACTICAL TOMAHAWK						
MH-60R						
EA-18G (Electronic Attack - 18G Growler)						

Technomics




MS C: All Programs




All DON MDAPs at MS C

- CVs uniformly lower
- Cost growth factors less compared to DE values
 - Mean (1.10 versus 1.36)
 - Median (1.07 versus 1.18)
 - Similar trend for the 9 programs with both DEs and PdEs
- Distribution less skewed

Cost Growth Factors & CVs for All DON MDAPs at MS C for 1969 & Later; n = 43						
		(Without Qty Adjustment)		(Quantity Adjusted)		
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$	
Mean		1.11	1.08	1.11	1.10	
Standard Deviation		0.50	0.58	0.21	0.28	
CV		0.45	0.53	0.19	0.26	








MS C: Ships & Submarines



Comparison with "All DON"

- Median CGF = (1.07, 1.05)
- Mean CGF = (1.10, 1.07)
- CV = (26%, 22%)

Cost	Cost Growth Factors & CVs for Ship & Sub MDAPs at MS C; n = 19							
		(Without Qty	Adjustment)	(Quantity Adjusted)				
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$			
Mean		1.15	1.12	1.11	1.07			
Standard Dev	Standard Deviation		0.74	0.15	0.24			
CV		0.52	0.66	0.14	0.22			






MS C: Aircraft



Comparison with All DON, Ships

- Median CGF = (1.07, 1.05, 1.08)
- Mean CGF = (1.10, 1.07, 1.12)
- CV = (26%, 22%, 36%)

Cost Growth Factors & CVs for Aircraft MDAPs at MS C; n = 13								
			(Without Qty Adjustment)		(Quantity Adjusted)			
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$			
Mean			1.17	1.08	1.15	1.12		
Standar	rd Dev	viation	0.44	0.39	0.31	0.40		
CV			0.38	0.36	0.27	0.36		





MS C: "Other"




Insufficient sample sizes for missiles and electronics

Comparison with All DON, Ships, Aircraft

- Median CGF = (1.07, 1.05, 1.08, 1.12)
- Mean CGF = (1.10, 1.07, 1.12, 1.12)
- CV = (26%, 22%, 36%) 16%)

Cost Growth Factors & CVs for "Other" MDAPs at MS C; n = 11									
		(Without Qty	Adjustment)	(Quantity Adjusted)					
Statistics		Base-Year\$	Then-Year\$	Base-Year\$	Then-Year\$				
Mean		0.99	1.00	1.07	1.12				
Standard Deviation		0.39	0.45	0.16	0.18				
сv		0.40	0.45	0.15	0.16				






Hypothesis Testing for MS C

Hypothesis

- Homogeneity of CGF means
 - $H_0: \mu_1 = \mu_2 = \dots = \mu_k$, where μ_i is a platform population mean CGF
 - $H_a: \mu_i \neq \mu_j$, for at least one (i,j) pair
 - F_(2,40) = 0.16 (from ANOVA)
 - Implies that variation in platform-level sample means is not, at the 5% level of significance, statistically distinguishable from noise





Hypothesis Testing for MS C

Hypothesis

- Homogeneity of CGF variances
 - $H_0: \sigma_1^2 = \sigma_2^2 = \dots = \sigma_k^2$, where σ_i^2 is a platform population variance CGF
 - $H_a: \sigma_i^2 \neq \sigma_j^2$, for at least one (i,j) pair
 - Statistical tests:
 - Pairwise comparisons
 - Levene test for k samples

Sample Pairwise F Statistics							
	Ships &						
Platforms	Subs	Aircraft	Other				
Ships and Subs		2.792	1.677				
Aircraft			4.682				
Other							

Test Results

- Mixed
 - Pairwise comparisons
 - *H*_o rejected for aircraft/ships and aircraft/other
 - Due solely to EA-6B outlier
 - Levene's test
 - For skewed distributions
 - F_(2,38) = 0.54 versus critical value of 3.25; H_o not rejected
 - On balance, deltas in sample variances not distinguishable from noise


Homogeneous means and some evidence of homogeneous variances support the conjecture of homogeneous CVs



Other Findings for MS C

Secular decline in CVs

- In both TY\$ and BY\$
 - Compared to MS B results:
 - Fewer older programs
 - Less inflation impact
- Hypotheses
 - Better estimating
 - Increased program stability
 - Stronger link to ICEs
- Caution: confidence lessens as sample size decreases







Other Findings: MS A



CVs at MS A

- Insufficient sample size for sound inferences
 - CV of 49% (TYS; quantity-adjusted)
 - Median CGF of 1.65
- Alternative
 - Use MS B-to-C delta as analogy to MS A-to-B delta
 - Assumes equal degree of cost uncertainty and risk between milestones
 - For equal sample time periods, delta ~ 15 percentage points in CV







Summary of Findings



Conjectures

- Estimation Consistency
 - CVs from ICEs jibe with acquisition experience
 - <u>Ad hoc</u> observation suggests underestimation of CVs, at times, in the international defense community
- Decline During Acquisition
 - CVs decrease throughout acquisition lifecycle
 - Strongly supported (MS B to MS C)
- Platform Homogeneity
 - CVs equivalent for aircraft, ships, and other platform types
 - Strongly supported, especially for MS B

Conjectures

- Adjustment Decline
 - CVs decrease when adjusted for changes in quantity and inflation
 - Strongly supported
- Invariance of Secular Trend
 - CVs steady long-term
 - Rejected
 - Evidence of secular decline
 - However, small sample sizes lessen confidence



Policy Considerations



General

- Type of CV to employ
 - Perhaps quantity adjusted in TY\$ is best
 - Many programs using non-OSD inflation rates
 - Quantity deltas influenced by JCIDS and Congress
- Possibility of structural change
 - For example,
 - WSARA; systems engineering early on; competitive prototyping; affordability as a KPP; should-cost studies; budgeting to SCPs; capability/cost tradeoffs
 - Uncertain effect on CGFs & CVs


Benchmark CVs

- View of long-term inflation
 - Instability would argue for inclusion of data from 1970s
 - Stability would argue against



Operational Construct





Options for "trigger values" requiring an explanation

- Use historical range
- Use fixed percentage from endpoints
- Use confidence intervals



Operational Construct




Confidence Intervals

- Assumptions
 - Lognormal distribution at MS B
 - Normal distribution at MS C
- Data from 1980s and later
 - Other confidence intervals available
 - E.g., MS B, using all sample data
 - 0.42, 0.51, 0.66 for lower bound, mean, and upper bound

95% Confidence Intervals for CVs

(Quantity-Adjusted; TY\$; Data => 1980s)





Case Study #1




NATO Alliance Ground Surveillance System






NATO AGS Program





ICE Methodology







Cost Element Structure



Numeric											
Element	Cost Element										
1.0	NATO AGS UAV System										
1.1	Air Vehicle										
1.1.1	Airframe										
1.1.1.1	Wing										
1.1.1.2	Fuselage										
1.1.1.3	Empennage										
1.1.1.4	Subsystems										
1.1.1.4.1	Nacelle										
1.1.1.4.2	Fairings										
1.1.1.4.3	Landing Gear + "Other"										
1.1.2	Propulsion										
1.1.3	Communications										
1.1.3.1	DataLinks										
1.1.3.2	Satellite Communications										
1.1.3.2.1	KU Satellite Radio										
1.1.3.2.2	Satellite Communications (SATCOM) Voice										
1.1.3.2.3	International Maritime SATCOM										
1.1.3.3	UHF/VHF Communications										
1.1.3.3.1	UHF/VHF Radios										
1.1.3.3.2	UHF Demand Assigned Multiple Access SATCOM										
1.1.4	Navigation / Guidance										
1.1.4.1	(2) Global Positioning Systems										
1.1.4.2	OmniStar Differential Global Positioning System (DGPS)										
1.1.4.3	IFF Transponder/ Traffic Alert & Collision (TCAS-II)										
1.1.4.4	Worldwide Operations Hardware Suite										
1.1.5	Central Computer										
1.1.6	Auxiliary Equipment										
1.1.7	Integration, Assembly, Test & Checkout										
1.2	Payloads										
1.2.1	Reconnaissance										
1.2.1.3	MP-RTIP										
1.2.2	NATO AGS Unique										
1.2.2.1	Electronic Support Measures (ESM)										
1.2.2.2	Radar Warning Receiver (RWR)										
1.2.2.3	IFF Interogator										

Numeric											
Element	Cost Element										
1.3	Ground/Support Segment										
1.3.1	Hardware										
1.3.1.1	Command and Control (C2) Unit										
1.3.1.2	Mobile General Ground Stations										
1.3.1.3	Mobile General Communications Stations										
1.3.1.4	Transportable General Ground Stations										
1.3.1.5	Remote Workstations										
1.3.1.6	UAV Flight Trainers										
1.3.1.7	Deployable Ground Station Trainers										
1.3.2	Software Development										
1.3.2.1	Air Vehicle/Payload										
1.3.2.2	Mission Operations Support										
1.3.2.3	Transportable General Ground Stations										
1.3.2.4	Mobile General Ground Stations										
1.3.2.5	Mobile General Communications Stations										
1.3.2.6	CSOP										
1.3.2.7	UAV Command and Control										
1.3.2.8	System Integration and Testing										
1.4	Systems Engineering / Program Management										
1.4.1	Systems Engineering (SE)										
1.4.2	Program Management (PM)										
1.5	Systems Test & Evaluation										
1.6	Training										
1.7	Data										
1.8	Peculiar Support Equipment										
1.9	Common Support Equipment										
1.10	Operational / Site Activation										
1.11	Industrial Facilities										
1.12	Initial Spares and Repair Parts										
Add-on	General and Administrative										
	Facilities Capital Cost of Money										
	Profit										

Note: To some degree, notional; changed with requirements



ICE Methodology



Unadjusted Point Estimate

- Air Vehicle
 - Global Hawk Block 30 and 40 actuals
 - Learning curves
 - Averages
- Payload (MP RTIP)
 - Analogy to AESA
- Ground Segment
 - Analogies for hardware
 - CERs for software development
 - Manmonths
 - Burdened salaries from Eurohawk


Unadjusted Point Estimate

- Support Elements
 Global Hawk actuals
- G&A, FCCM, & Fee
 - Global Hawk actuals



Quantity Profile

- NATO AGS's position on learning curve influenced by
 - U.S. Global Hawk production
 - BAMS development and production



Buy Year; TOA Funding	FY02	FY03	FY04	FY05	FY06	FY07	FY08	FY09	FY10	FY11	FY12	FY13
U.S. Global Hawk LRIP	Lot 1	Lot 2	Lot 3	Lot 4	L of F	L at 6	Lot 7	Lot 8	L at 0	Lot 10	Lot 11	Lat 12
	Lot 1		LUIS	Lot 4	Lot 5	Lot 6	Lot 7	LULO	Lot 9	Lot 10	Lot 11	Lot 12
Block 10 Aircraft	3	3	1	2								
Block 20 Aircraft			3	3	4	-	0	0	0	0	0	0
Block 30 Aircraft				1	4	5	2	2	2	2	3	3
Block 40 Aircraft					1		3	3	2	2	2	2
Total												
DON BAMS												
SDD Units									2			
LRIP												3
APN												
							No	Notional: AGS schedule has slipped				
NATO AGS							NO	uonai. r	100 30			,eu
Assumption #1:												
Design, Development, & Qualification									2			
Production										2	2	2


Technomics



Example: Airframe Wing



- Wing fabrication, assembly, structural testing
 - Graphite & epoxy materials; high-modulus unidirectional tape
 - Vought Aircraft Industries
- Unit-learning curve; yields *median* value








Example: Airframe Fuselage

- Northrop Grumman's Unmanned Systems Center
 - Moss Point, Mississippi
- Fabrication and mating of fore, mid, and aft of fuselage
- Cost estimated using unit-learning curve







AGS Risk Elements



Elements of Risk

- Exchange rate
 - Swing of 93% from low to high:
 \$0.83/€ to \$1.60/€ in 2008
- Inflation
 - Could accelerate with economic growth
- Affordability
 - Ceiling price denominated in 2007 base-year Euros
 - Many countries have dropped out
- Schedule
 - Slipped already

Elements of Risk

- Software development
 - x.x M ESLOC
 - Large from U.S. perspective
 - Includes requirement for user exploitation elements (mobile and transportable ground stations) covered by DCGS in U.S. for GH
- Radar
 - R&D problems could translate into higher production costs
- International Participation
 - "Best value," but each
 - nation demands work 51




Exchange Rate



"Random Walk" Theory

- Phrase coined by Karl Pearson in 1905
 - Trajectory based on successive random steps
 - 1st order Markov chain






Inflation Rate



Threat of Rising Rates

- If economic recovery gains traction in Europe
 - Aerospace inflation higher than in general economy
 - Baseline 3.0% per year





Affordability



FFP Ceiling in 2007 Euros

- PMOU required years to negotiate
- < 50% participation in AGS
 - Down from high of 23 out of 26 nations
- Mixed fleet scrapped in 2007
 - Modified Airbus A320 and Global Hawk UAVs
 - Too expensive
- Schedule delays increase costs in then-year US\$, Canadian\$, and Euros



Bulgaria, Czech Republic, Estonia, Germany, Italy, Latvia, Lithuania, Luxembourg, Norway, Romania, Slovakia, Slovenia, United States




Software Development



Highest-Risk Element

- Growth in ESLOC
 - Requirements
- Configuration Management
 - Across many companies
 - Different levels of CMMI certification
- Integration of Components
 - Software modules
 - Hardware with software
 - Other ISR assets and with intelligence gathering and analysis systems (e.g., MAGIC)



"The first 90% of the code accounts for the first 90% of the development time. The remaining 10% of the code accounts for the other 90% of the development time." *(Tom Cargill)*



Software Development



Highest-Risk Element


- Demand for "Noble Work"
 - Software versus laying coaxial cable
 - ITAR-free for ground segment
 - Knowledge gain
 - Leverage for follow-on work
 - NATO owns design but not code
- Schedule for MOB Development
 - Test facilities and equipment for software



International Participation



Prime: Northrop Grumman Integrated Systems Sector International, Inc



Potential subs to Cassidian: Retia ICZ (Czech Republic); Aktors (Estonia); Dati (Latvia); Elsis (Lithuania); Konstrukta (Slovakia); Hermes Soft Lab (Slovenia)



AGS CV and Scenarios



Choice of CV

- AGS a NATO rather than U.S. acquisition program. But,
 - Direct commercial sale to Northrop Grumman
 - Total System Performance Responsibility
 - Based on U.S. Global Hawk
 - Most of costs to be incurred in U.S.
- Many risk elements
 - Therefore, robust CV of 51% used
 - Quantity-adjusted in then-year dollars (and Euros)
 - Based on complete sample at MS B


Scenarios

- Baseline
 - Mostly likely
- Pessimistic
 - Unfavorable yet plausible
- Resource-Constrained
 - To meet ceiling price



Scenario Parameters








S-Curve for NATO AGS






Cost values not displayed because of business sensitivity



S-Curve for NATO AGS



- Hypothetical Option
 - CV of 10%
 - Pessimistic estimate
 - Five in one million chance of costs reaching that level or higher!
 - Deceives stakeholders
 - Underestimates probability
- Take away
 - Essential to use benchmark data
 - Perform "deep dive"




Cost values not displayed because of business sensitivity



S-Curve Tool*



Supports both Monte Carlo Simulation and eSBM



"Testing S-Curves for Reasonableness: The NCCA S-Curve Tool," Coleman, Braxton, Lee, Flynn, SCEA 2011



S-Curve Tool



- Allows practitioners to
 - Perform internal V&V
 - Compare their estimated S-curves to curves using benchmark CVs and CGFs
 - Perform assessments and reconciliations
 - Compare ICE and Program Office Scurves
 - Generate graphics

- eSBM POC
 - Dr. Paul Garvey, MITRE
- Tool POCs
 - Mr. Peter Braxton
 - Mr. Richard Lee
 - Dr. Brian Flynn
 - Mr. Ben Breaux
- Tool and eSBM paper on NCCA's website
 - At www.ncca.navy.mil









CVs: Calculation Issue



- "... a central issue of risk analysis:
 - We are trying to characterize **within-program** risk
 - But "Cost is an unrepeatable experiment," and we only ever get one observation for each historical program
 - Thus, we are stuck using data from cross-program risk
 - We must cleverly devise a model that explains the former, while using historical data from the latter"


"The Perils of Portability: CGFs and CVs," Peter J. Braxton, Richard C. Lee, Kevin M. Cincotta, Jack Smuck, Megan Guild, and Richard L. Coleman; SCEA/ISPA Conference 2011



CGFs as Cost Outcomes




Sequence of 50 BY\$ CGFs: CE/BE_{1,1984}, CE/BE_{2,1978}, CE/BE_{3,1986}, ..., CE/BE_{50,2004} where i,j = observation number, base year of numerator and denominator



- Each \$CE now interpretable as a cost outcome per dollar of \$BE
 - Same units of measurement
 - Same year dollars
- CV is unchanged
 - Computation also holds for BY\$ quantity adjustments

Acquisition Cost Outcomes from MS B for "All" DON MDAPs (Translation of CGFs into Normalized BY\$; Unadjusted for $Q\Delta s$)



CV of costs & CGFs = 63% Desirable Statistical Properties: CV independent of base year CV independent of unit of measurement

Questionable Statistical Property: CV invariant with respect to program size



Military Reading List



- With the Old Breed, E. B. Sledge
 - Wall Street Journal calls this book one of the "top five" ever in describing any battle in the 20th century. A mortarman (MOS 0341) in the First Marine Division gives his account of fighting on the front lines in the Pacific campaigns of Peleliu and Okinawa.

• <u>Unbroken</u>, Laura Hillenbrand

 The author of "Seabiscuit" chronicles the ordeals of Louis Zamperini, an Olympic miler, who survived incredible hardship and torture when his B-24 Liberator crashed in the South Pacific in WW II.

<u>Ambush Alley</u>, Tim Pritchard

According to many, "the most extraordinary battle of the Iraq war."

• Inside Delta Force, Eric Haney

 A gripping account of the formation, operation, and skills of America's elite counter-terrorism unit.

<u>Horse Soldiers</u>, Doug Stanton

– U.S. Special Forces defeat the Taliban in Afghanistan shortly after 9/11.

Fiction

- <u>Ender's Game</u>, Orson Scott Card
 - Aliens have nearly destroyed the human race in two attacks. Our survival now rests entirely in the hands of a young genius, Ender Wiggin.
 - Officially recommended as "professional reading" by the U.S. Marine Corps.
 - I picked this one up at Quantico.

Technomics