























- Rockafellar, R.T. & Royset, J.O. (2010). On buffered failure probability in design and optimization of structures. *Reliability Engineering & System Safety*, (95)5, 499-510. <https://doi.org/10.1016/j.ress.2010.01.001>
- Sarykalin, S., Serraino, G., & Uryasev, S. (2008). Value-at-risk vs. conditional value-at-risk in risk management and optimization. *State-of-the-Art Decision-Making Tools in the Information-Intensive Age*, 270-294. <https://doi.org/10.1287/educ.1080.0052>
- Serfling, R. (2002). Quantile functions for multivariate analysis: approaches and applications. *Statistica Neerlandica* (56)2, 214-232. <https://doi.org/10.1111/1467-9574.00195>
- Smart, C. (2009). Comparison of parametrics with resource-loaded schedule for joint confidence analysis assessment: a case study. *2009 NASA Cost Symposium*.
- Smart, C. (2021). Solving for project risk management: understanding the critical role of uncertainty in project management. *2021 NASA Cost and Schedule Symposium*.
- Sollis, R. (2009). Value at risk: a critical overview. *Journal of Financial Regulation and Compliance*, (17)4, 398-414. <https://doi.org/10.1108/13581980911004370>
- Taleb, N. (2012). *The black swan*. Random House.